## **EAST Search History**

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	3	"20050154858"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 14:24
L4	0	SIMD NEAR15 VLIW instruction AND @pd>="20090324"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 14:40
L5	12	(process\$3 NEAR5 (array OR element)) NEAR20 (dynamic \$4 NEAR10 (duster\$3 OR partition\$3 OR group\$3)) AND @pd>="20090324"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 14:41
L6	0	SIMD NEAR10 MIMD NEAR10 switch AND @pd>="20090324"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 14:42
L7	19	(mutually transverse) AND @pd>="20090324"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 14:42
L8	103	(dynamic\$4 NEAR10 (duster \$3) NEAR10 network) AND @pd> = "20090324"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 14:43
L9	74	(dynamic\$4 NEAF20 (duster \$3 OR partition\$3 OR group \$3)) AND (interconnection NEAF2 network) AND @pd>= "20090324"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2010/04/20 14:45

L10	1	array NEAR5 multicast\$3 NEAR5 network AND @pd> = "20090324"	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 14:45
L11	3	(array NEAR10 (cluster\$3 OR partition\$3 OR group\$3)) NEAR10 (chain NEAR3 (processor OR element OR node)) AND @pd>="20090324"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 14:46
L12	1	synchroniz\$5 NEAR5 MIMD AND @pd>="20090324"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 14:46
L13	1	"712".clas. AND (mesh) NEAR10 scalable AND @pd> = "20090324"	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 14:46
L14	28	712/11.ccls. AND @pd>="20090324"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 14:47
L15	О	(PLA OR programmable (sum-terms OR sum terms)) NEAR20 reconfigurable channel	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:06
L16	45	*6266760*	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:06
L17	2	*20060184766**	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:08
L18	12	"1581884"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:08

L19	0	WO0033186	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20
L20	4	*2001042187*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:12
L21	2	*20010042187*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:12
L22	10	*6446191*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:13
L23	27	"5649106"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:14
L24	2	"20010042187"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:17
L25	14	712/13.cds. AND @pd>= "20090324"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:28
L26	193	(cluster control).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20
L27	1	(reconfigurable channel infrastructure).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:34

L28	134	(control chain).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OX	2010/04/20 15:35
L29	1097	(combination elements).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:36
L30	3	(combination elements AND processing element).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:36
L31	10	(programmable switch AND processing element).clm.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20
L32	8	(inhibit\$4 NEAR10 processing element).clm.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:37
L33	1014	(operation control signal). dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:39
L34	49	(operation control signal AND intermediate ).clm.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:39
L35	1614	(deriv\$3 AND cluster).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:40
L36	482	(deriv\$3 AND cluster AND processing).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:40

L37	62	(deriv\$3 NEAP5 cluster AND processing).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:40
L38	1	(operating task units).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:41
L39	7	(mutual\$2 independently operat\$3).dm.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:41
L40	33	(cluster NEAR20 processing elements).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/20 15:41
S1	52	(process\$3 NEAR5 (array OR element)) NEAR20 (dynamic \$4 NEAR10 (duster\$3 OR partition\$3 OR group\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 15:54
S2	30	(dynamic\$4 NEAP20 (cluster \$3 OR partition\$3 OR group \$3)) AND ((TLP OR thread level parallelism) NEAR15 (ILP OR Instruction level parallelism))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:27
S3	69	SIMD NEAR10 MIMD NEAR10 switch	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:06
S4	1170	(mutually transverse)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:45
S5	2	(mutually transverse) NEAR5 (network OR cluster)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:46

S6	34	*5404461*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:51
S7	261	(dynamic\$4 NEAR10 (cluster \$3) NEAR10 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:52
S8	0	(dynamic\$4 NEAR10 (cluster \$3) NEAR10 network) NEAR10 transverse	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:53
S9	7	(dynamic\$4 NEAR10 (cluster \$3) NEAR10 network NEAR10 interconnection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:53
S10	4	(interprocessor NEAP5 communication) AND (L shape\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:08
S11	385	(dynamic\$4 NEAP20 (cluster \$3 OR partition\$3 OR group \$3)) AND (interconnection NEAP2 network)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:59
S12	82	(dynamic\$4 NEAR10 (cluster \$3 OR partition\$3 OR group \$3) NEAR10 (proces\$3 OR node OR element) AND (interconnection NEAR2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:00
S13	16	"712".clas. AND (L shape\$2)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:17
S14	67	*4985832*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:25

S15	6	array NEAP5 multicast\$3 NEAP5 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:26
S16	30	(array NEAR10 (cluster\$3 OR partition\$3 OR group\$3)) NEAR10 (direct\$2 connect \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:29
S17	287	(array NEAR10 (duster\$3 OR partition\$3 OR group\$3)) NEAR10 (chain)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:29
S18	4	(array NEAR10 (cluster\$3 OR partition\$3 OR group\$3)) NEAR10 (chain NEAR3 (processor OR element OR node))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:42
S19	12	*1,311,994*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:42
\$20	12	"1311994"	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:46
\$21	258	(Dynamic NEAR5 processor NEAR5 associat\$3)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:47
S22	6	(Dynamic NEAR5 processor NEAR5 associat\$3 NEAR20 array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:49
S23	1	(interconnection network NEAR5 transvers\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:49

\$24	1050	(network NEAP5 transvers \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:49
S25	14	(network NEAR5 transvers\$2 NEAR15 array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:51
S26	77	(array NEAR5 (process\$3 OR network\$3)) NEAR15 ("and" gates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:54
S27	0	((programmable OR configurable) interconnection network) NEAR8 (*and* gate) NEAR8 (control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:56
S28	106	NEWS NEAR5 interconnect NEAR5 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:57
S29	0	network NEAR20 (multicast \$3) NEAR8 ("and" gate)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:57
S30	12	network NEAP20 (multicast \$3) NEAP8 ( gate)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 17:57
S31	1	(array NEAR4 process\$3) NEAR10 multicast	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 18:01
S32	0	(configurable NEAR6 interconnection NEAR6 "and" gate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 18:02

S33	140	(configurable NEAP6 interconnection AND "and" gate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 18:04
S34	15	(sum term OR product term) NEAR15 duplicat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 18:04
\$35	19	(PLA OR PAL Or programmable array logic OR programmable logic array) AND (different NEAF2 input) NEAF20 ("same" NEAR2 output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:32
S36	4	(PLA OR PAL Or programmable array logic OR programmable logic array) AND (different NEAF2 input) NEAF20 (identical NEAF2 output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:29
\$37	299	(PLA OR PAL Or programmable array logic OR programmable logic array) NEAR6 simplifi\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:33
S38	0	(PLA OR PAL Or programmable array logic OR programmable logic array) NEAR6 simplifi\$6 NEAR25 (combinational logic OR "and" gate OR "or" gate)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:34
S39	4	(PLA OR PAL Or programmable array logic OR programmable logic array) NEAR6 reduc\$3 NEAR25 (combinational logic OR "and" gate OR "or" gate)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:42
S40	47	(programmable NEAR3 sum NEAR4 terms)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:45
S41	0	dynamic NEAR5 array NEAR5 (group\$3 OR cluster\$3) NEAR5 neighbor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:45

S42	0	dynamic NEAR15 array NEAR15 (group\$3 OR cluster \$3) NEAR15 neighbor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:47
S43	202	array NEAP4 interconnection NEAP4 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:54
S44	2	(array NEAP2 process\$3) NEAP20 dynamic NEAP4 (cluster\$3 OR group\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:55
S45	7	(array NEAP2 process\$3) NEAP20 dynamic NEAP4 (allocat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:55
S46	245	(array NEAP2 process\$3) NEAP20 neighbor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:56
S47	0	(array NEAR2 process\$3) NEAR20 neighbor\$3 NEAR20 tap	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:56
S48	О	(array NEAR2 process\$3) NEAR20 neighbor\$3 NEAR20 multicast\$3	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:56
S49	3	(array NEAR2 process\$3) NEAR20 multicast\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:57
S50	59	(array NEAP2 process\$3) NEAP20 tap	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 07:58

S51	84	(array NEAF2 process\$3) NEAF20 SIMD NEAF20 MIMD	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:12
S52	11	(array NEAR2 process\$3) NEAR20 (programmable OR configurable) NEAR3 (group \$3 OR cluster\$3 OR partition \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:13
S53	0	(PAL OR programmable array logic OR PLA OR Programmable logic array) NEAR30 large NEAR15 slow NEAR15 delay NEAR15 redundanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:24
954	57	(PAL OR programmable array logic OR PLA OR Programmable logic array) NEAR30 redundanc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:37
355	23	*4,084,152*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:27
356	1797	(PAL OR programmable array logic OR PLA OR Programmable logic array) NEAR30 delay\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:38
357	0	(PAL OR programmable array logic OR PLA OR Programmable logic array) NEAR30 delay\$3 NEAR5 slow NEAR5 big	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:38
358	1	(PAL OR programmable array logic OR PLA OR Programmable logic array) NEAR30 delay\$3 NEAR5 slow NEAR5 (big OR size OR large)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:38
S59	23	(PAL OR programmable array logic OR PLA OR Programmable logic array) NGAR30 slow NEAR5 (big OR size OR large)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 08:38

S60	0	*07748316*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 09:12
S61	33	"748316"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 09:12
S62	136	("4435758"   "4562535"   "4644396"   "477043"   "4792894"   4873626"   "4891787"   "4992933"   "5050065").PN. OR ("5212777").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/01/16 13:05
<b>S</b> 63	49	*0033186*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 13:06
S64	2	*200033186"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 13:06
S65	3	*6651713*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 16:07
S66	155	synchroniz\$5 NEAR5 MIMD	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 17:47
S67	0	(processor (array OR grid)) NEAR10 (geographic OR distance) NEAR10 bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 17:48
S68	7	(processor (array OR grid)) NEAR10 (time OR length) NEAR10 bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 17:57

S69	5	two NEAR2 dimension\$2 NEAR2 array NEAR10 (MIMD)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 17:58
S70	0	(mesh grid) NEAR10 (scalable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:08
S71	2	(mesh NEAR5 grid) NEAR10 (scalable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:08
S72	9241	(grid) NEAR10 (scal\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:08
S73	16	"712".clas. AND (grid) NEAR5 (scal\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:14
S74	9125	(grid OR mesh) NEAR5 (scal \$7)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:14
S75	3296	((two NEAR2 dimensional\$2) NEAR5 (scal\$7)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:14
S76	1	(two NEAR2 dimensional\$2) NEAR5 (scal\$7) NEAR5 bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:15
S77	0	(two NEAR2 dimensional\$2) NEAR5 (scal\$7) NEAR2 better	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:18

S78	2	array NEAP5 (scales better)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17
S79	11595	array NEAP5 (scales)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17
S80	53	array NEAP5 (scales) NEAR10 bus	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:25
S81	17	array NEAR15 mesh NEAR5 (scal\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:30
S82	32	(2d or two dimensional OR two dimension) NEAR15 mesh NEAR5 (scal\$7)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 09:30
S83	6	*6505289*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 10:01
S84	0	(planar mesh) NEAR10 scalable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17
S85	30	"712".clas. AND (mesh) NEAR10 scalable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/17 10:01
S86	0	SIMD NEA15 VLIW instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 09:20

S87	14	SIMD NEAR15 VLIW instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 09:20
S88	19	(process\$3 NEAR5 (array OR element)) NEAR20 (dynamic \$4 NEAR10 (duster\$3 OR partition\$3 OR group\$3)) AND @pd> = "20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:13
S89	22	(dynamic\$4 NEAR20 (cluster \$3 OR partition\$3 OR group \$3)) AND (TLP OR thread level parallelism) NEAR15 (ILP OR Instruction level parallelism) AND @pds = "20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:15
S90	0	SIMD NEAR10 MIMD NEAR10 switch AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:15
S91	25	(mutually transverse) AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:16
S92	0	(mutually transverse) NEAR5 (network OR cluster) AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:16
S93	69	(dynamic\$4 NEAR10 (cluster \$3) NEAR10 network) AND @pd>= "20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:16
S94	73	(dynamic\$4 NEAF20 (cluster \$3 OR partition\$3 OR group \$3)) AND (interconnection NEAF2 network) AND @pd>= "20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:17

S95	1	array NEAP5 multicast\$3 NEAR5 network AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:19
S96	1	(array NEAR10 (cluster\$3 OR partition\$3 OR group\$3)) NEAR10 (chain NEAR3 (processor OR element OR node)) AND @pd>="20080116"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:19
S97	5	synchroniz\$5 NEAP5 MIMD AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:20
S98	0	"712".clas. AND (mesh) NEAR10 scalable AND @pd>="20080116"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:20
S99	467	712/11.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 12:21
S100	15	("4559618"   "5109333"   "5182009"   "5533416"   "5440715"   "5548773"   "5687329"   "5754865" "5787200"   "5831997"   "5933614"   "6127849"   "6240485"   "6629190"   "6847346"), PN. OR ("7185175"), URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/24 12:48
S101	183	712/13.ccls.	US-PGPUB; USPAT; USOOR	ADJ	ON	2009/03/24 12:53
S102	630	712/220.ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/24 13:06
S103	3	"20050154858"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24

<sup>4/20/2010 4:15:15</sup> PM

C:\ Documents and Settings\ kvicary\ My Documents\ EAST\ Workspaces\ 10541275.wsp